MADE IN U.S.A.
GENUINE
Trussell
74 CL

Sceloporus
occidentalis
code No. 2

Sceloporus
occidentalis

SPECIES Sceloporus occidentalis

SACK NO. —— SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) ______

DATE Aug. 1, 1958 SPEEDOMETER ______

LOCALITY Mt. Baldy, Los Angeles Co., Calif.

STANDARD TIME 0745 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) 4700

WIND VELOCITY(miles/hour) 0 TAG NO. 1

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rocky stream bed, in coniferous forest.

REMARKS: ______

Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/code2sceloporuso00mayh

SPECIES Sceloporus occidentalis

SACK NO. ——— SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) ______

DATE Aug. 1, 1958 SPEEDOMETER ______

LOCALITY Mt. Baldy, Los Angeles Co., Calif.

STANDARD TIME 0800 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) 4700

WIND VELOCITY(miles/hour) 0 TAG NO. 2

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rocky stream bed in coniferous forest.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. ______ SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) ______

DATE Aug. 1, 1958 SPEEDOMETER ______

LOCALITY Mt. Baldy, Los Angeles Co., Calif.

______

STANDARD TIME 0830 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) 4700

WIND VELOCITY(miles/hour) 0 TAG NO. 3

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rocky stream bed in coniferous forest.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. ______ SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) ______

DATE Aug. 1, 1958 SPEEDOMETER ______

LOCALITY Mt. Baldy, Los Angeles Co., Calif.

______

STANDARD TIME 08 50 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) 4700

WIND VELOCITY(miles/hour) 0 TAG NO. 4

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rocky stream bed in coniferous forest.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. ______ SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) ______

DATE Aug. 16, 1958 SPEEDOMETER ______

LOCALITY Barton Flats, San Bernardino Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) ~6500

WIND VELOCITY(miles/hour) ______ TAG NO. 5

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT open coniferous forest.

REMARKS: ______

SPECIES *Sceloporus occidentalis*

SACK NO. ______ SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) ______

DATE Aug. 16, 1958 SPEEDOMETER ______

LOCALITY Barton Flats, San Bernardino Co., Calif.

STANDARD TIME ______ CLOUDS ______

HOUR (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) ~6500

WIND VELOCITY(miles/hour) ______ TAG NO 6

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT open coniferous forest.

REMARKS: ______

SPECIES: *Sceloporus occidentalis*

SACK NO. ______ SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) ______

DATE Aug. 16, 1958 SPEEDOMETER ______

LOCALITY Barton Flats, San Bernardino Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) ~6500

WIND VELOCITY(miles/hour) ______ TAG NO. 7

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT open coniferous forest.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. ______ SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 72

DATE Aug. 22, 1958 SPEEDOMETER ______

LOCALITY Canyon Crest Drive, 2 mi. S. of UCR, Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) ~1200

WIND VELOCITY(miles/hour) ______ TAG NO. 8

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. ______ SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 77

DATE Aug. 22, 1958 SPEEDOMETER ______

LOCALITY Canyon Crest Drive, 2 mi. S. of UCR, Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) ~1200

WIND VELOCITY(miles/hour) ______ TAG NO. 9

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. ______ SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 70

DATE Aug. 22, 1958 SPEEDOMETER ______

LOCALITY Canyon Crest Drive, 2 mi. S. of UCR, Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) ~1200

WIND VELOCITY(miles/hour) ______ TAG NO. 10

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. ______ SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 77

DATE Aug. 22, 1958 SPEEDOMETER ______

LOCALITY Canyon Crest Drive, 2 mi. S. of UCR,
Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) ~1200

WIND VELOCITY(miles/hour) ______ TAG NO. 11

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. ______ SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 74

DATE Aug. 22, 1958 SPEEDOMETER ______

LOCALITY Canyon Crest Drive, 2 mi. S. of UCR, Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) ~1200

WIND VELOCITY(miles/hour) ______ TAG NO. 12

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. R 4 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 76

DATE Sept. 12, 1958 SPEEDOMETER —

LOCALITY Canyon Crest Drive, 2 mi. S. of UCR, Riverside Co., Calif.

STANDARD TIME 0910 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) ~1200

WIND VELOCITY(miles/hour) 0 TAG NO. 13

AIR TEMPERATURE 22.4 °C ______ °F

Rock (shade) ~~ROAD~~ TEMPERATURE 21.8 °C ______ °F

Rock (sun) ~~SOIL~~ SURFACE TEMPERATURE 36.2 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal ~~sage~~ chaparral.

REMARKS: Heavily infested with a fluke-like parasite in body cavity external to organs. These parasites are very small

Sceloporus Occidentalis

Y8 ♂ ad.

64

Sept. 20, 1958 13179

5 mi N. Idyllwild,
Riverside Co., Calif.

1515 none

—

none 5900

0 14

24

40.6 sun
24.8 shade

Coniferous forest

SPECIES Sceloporus occidentalis

SACK NO. R10 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 74

DATE Sept. 18, 1958 SPEEDOMETER 12490

LOCALITY 4 mi. S. of Hesperia, San Bernardino Co., Calif.

STANDARD TIME 0645 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) 34

WIND DIRECTION none ALTITUDE(ft) 3700

WIND VELOCITY(miles/hour) 0 DRG NO. 15

AIR TEMPERATURE 21.8 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 24.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT On Joshua Tree branches

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. R10 SEX ♀ AGE ad.

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 62

DATE Sept. 18, 1958 SPEEDOMETER 12490

LOCALITY 4 mi. S. of Hesperia, San Bernardino Co., Calif.

STANDARD TIME 0645 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) 34

WIND DIRECTION none ALTITUDE(ft) 3700

WIND VELOCITY(miles/hour) 0 TAG NO. 16

AIR TEMPERATURE 21.8 °C ____ °F

ROAD TEMPERATURE ____ °C ____ °F

SOIL SURFACE TEMPERATURE 24.5 °C ____ °F

CLOACAL TEMPERATURE ____ °C ____ °F

HABITAT On Joshua tree branches

REMARKS ____

SPECIES Sceloporus occidentalis

SACK NO. R 13 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 63

DATE Sept. 18, 1958 SPEEDOMETER 12490

LOCALITY 4 mi. S. of Hesperia, San Bernardino Co., Calif.

STANDARD TIME 0655 CLOUDS none

MOON —— RELATIVE HUMIDITY(%) 34

WIND DIRECTION none ALTITUDE(ft) 3700

WIND VELOCITY(miles/hour) 0 TAG NO. 17

AIR TEMPERATURE 21.8 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 24.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT On Joshua tree.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. R14 SEX ♀ AGE ad.

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE Sept. 18, 1958 SPEEDOMETER 12490

LOCALITY 4 mi. S. of Hesperia, San Bernardino Co., Calif.

STANDARD TIME 0655 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) 34

WIND DIRECTION none ALTITUDE(ft) 3700

WIND VELOCITY(miles/hour) 0 TAG NO. 18

AIR TEMPERATURE 21.8 °C °F

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 24.5 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT On Joshua tree

REMARKS:

SPECIES Sceloporus occidentalis

SACK NO. R7 SEX ♀ AGE ad

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 71

DATE Sept. 18, 1958 SPECIMEN NO. 12490

LOCALITY 4 mi. S. of Hesperia, San Bernardino Co., Calif.

STANDARD TIME 0705 CLOUDS none

MOON ——— RELATIVE HUMIDITY(%) 34

WIND DIRECTION none ALTITUDE(ft) 3700

WIND VELOCITY(miles/hour) 0 TAG NO. 19

AIR TEMPERATURE 21.8 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 24.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT On Joshua tree.

REMARKS ______

SPECIES Sceloporus occidentalis

SACK NO. R 7 SEX ♂ AGE ad

WEIGHT (gms) ____ SNOUT-VENT LENGTH (mm) 66

DATE Sept. 18, 1958 SPEEDOMETER 12490

LOCALITY 4 mi. S. of Hesperia, San Bernardino Co., Calif.

STANDARD TIME 0705 CLOUDS none

MOON — RELATIVE HUMIDITY (%) 34

WIND DIRECTION none ALTITUDE (ft) 3700

WIND VELOCITY (miles/hour) 0 TAG NO. 20

AIR TEMPERATURE 21.8 °C ____ °F

ROAD TEMPERATURE ____ °C ____ °F

SOIL SURFACE TEMPERATURE 24.5 °C ____ °F

CLOACAL TEMPERATURE ____ °C ____ °F

HABITAT On Joshua tree

REMARKS ____

SPECIES Sceloporus occidentalis

SACK NO. R 7 SEX ♂ AGE ad.

WEIGHT(gms) SNOUT-VENT LENGTH (mm) 69

DATE Sept. 18, 1958 SPEEDOMETER 12490

LOCALITY 4 mi. S. of Hesperia, San Bernardino Co., Calif.

STANDARD TIME 0725 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 34

WIND DIRECTION none ALTITUDE(ft) 3700

WIND VELOCITY(miles/hour) 0 TAG NO. 21

AIR TEMPERATURE 24.8 °C °F

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 27.4 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT On Joshua tree

REMARKS:

SPECIES *Sceloporus occidentalis*

BACK NO. R 15 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 77

DATE Sept. 18, 1958 SPEEDOMETER 12494

LOCALITY 1 mi. S. of Hesperia, San Bernardino Co., Calif.

STANDARD TIME 0820 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 34

WIND DIRECTION none ALTITUDE(ft) 3700

WIND VELOCITY(miles/hour) 0 TAG NO. 22

AIR TEMPERATURE 26.2 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 40.4 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT On Joshua Tree

REMARKS:

SPECIES Sceloporus occidentalis

SACK NO. R 9 SEX ♂ AGE ad.

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE Sept. 18, 1958 SPEEDOMETER 12495

LOCALITY Hesperia, San Bernardino Co., Calif.

STANDARD TIME 0859 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 34

WIND DIRECTION none ALTITUDE(ft) 3700

WIND VELOCITY(miles/hour) 0 TAG NO. 23

AIR TEMPERATURE 29 °C °F

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 40.8 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT On Joshua Tree

REMARKS:

SPECIES Sceloporus occidentalis

SACK NO. Y1 SEX ♂ AGE ad.

WEIGHT(gms) 18.5 SNOUT-VENT LENGTH(mm) 82

DATE Oct. 10, 1958 SPEEDOMETER 12990

LOCALITY 3000' level on Mill Creek Road, 10 mi. N.E. of downtown Redlands, San Bernardino Co., Calif.

STANDARD TIME 1050 CLOUDS none

MOON — RELATIVE HUMIDITY(%) <30

WIND DIRECTION E ALTITUDE(ft) 3000

WIND VELOCITY(miles/hour) 5 TAG NO. 24

AIR TEMPERATURE 30 °C °F

ROAD TEMPERATURE °C °F

(sun) SOIL SURFACE TEMPERATURE 50 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Rocky stream bed.

REMARKS

Sceloporus occidentalis

Y 11 ♂ ad.

17 76

Oct. 10, 1958 12990

Mill Creek Road, 10 mi. N.E. Redlands,
San Bernardino Co., Calif.

1050 none

— <30

E 3000

5 25

30

(sun) 50

Rocky stream bed.

Sceloporus occidentalis

Y 10 ♂ ad.

13.0 0867

Oct. 10, 1958 13013

South Fork campground, 12 mi. N.E. of Camp Angelus, San Bernardino Co., Calif.

1325 none

— <30

none 6250

0 26

23

35

Coniferous forest.

Sceloporus occidentalis

Y10 ♂ ad.

13.8 71

Oct. 10, 1958 13013

South Fork campground, 5 mi. E. Barton Flats, San Bernardino Co., Calif.

1330 none

——— 430

S.W. 6260

5 27

23

35

Coniferous forest.

Sceloporus occidentalis

— ♂ ad.

78

Oct. 10, 1958 13013

South Fork campground, 5 mi. E. of Barton Flats, San Bernardino Co., Calif.

1350 none

— 430

S.W. 6250

5 28

23

35

Coniferous forest.

killed in tree with rock (hit on head).

Sceloporus occidentalis

Y2 ♀ ad.

73

Oct. 18, 1958 11884

4 mi. E. of Phelan, San Bernardino Co., Calif.

1050 75%

— ~5

S 3760

5-7 29

29.3

42.2

On Joshua tree

Sceloporus occidentalis

Y1 ♂ ad.

8'

Oct. 18, 1958 11881

5 mi. E. of Phelan, San Bernardino Co., Calif.

1015 75 %

— ~5

S 3675

5–7 30

99.3

42.2

Trunk of Joshua tree

Sceloporus occidentalis

B18 ♀ ad.

71

Oct. 18, 1958 11877

10 mi. E. of Phelan, San Bernardino Co., Calif.

0900 25%

— ~5

5 3475

5-7 31 ~~28~~

27.4

42.8

On Joshua Tree

SPECIES Sceloporus occidentalis

SACK NO. Y9 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 71

DATE Mar. 3, 1959 SPEEDOMETER 464

LOCALITY 2 mi. S. of UCR campus, Riverside Co., Calif.

STANDARD TIME 1310 CLOUDS none

MOON —— RELATIVE HUMIDITY(%) ——

WIND DIRECTION N.W. ALTITUDE(ft) 1200

WIND VELOCITY (miles/hour) 1-5 TAG NO. 32

AIR TEMPERATURE 27.5 °C ______ °F

Rock ~~ROAD~~ TEMPERATURE 42 °C ______ °F

SOIL SURFACE TEMPERATURE 42.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS: ______

Sceloporus occidentalis

PACK NO. Y 6 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 69

DATE Mar. 3, 1959 SPEEDOMETER 464

LOCALITY 2 mi. S. of UCR campus, Riverside Co., Calif.

STANDARD TIME 1328 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 1200

WIND SPEED(miles/hour) 1-5 TAG NO. 33

AIR TEMPERATURE 27.5 °C ______ °F

~~ROAD~~ Rock TEMPERATURE 42 °C ______ °F

SOIL SURFACE TEMPERATURE 42.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. Y 5 SEX ♂ AGE ad.

WEIGHT(gms ______ SNOUT-VENT LENGTH(mm) 73

DATE Mar. 3, 1959 SPEEDOMETER 464

LOCALITY 2 mi. S of UCR campus, Riverside Co., Calif.

STANDARD TIME 1359 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) 1-5 TAG NO. 34

AIR TEMPERATURE 27.5 °C ______ °F

~~ROAD~~ Rock TEMPERATURE 42 °C ______ °F

SOIL SURFACE TEMPERATURE 42.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. B 30 SEX ♂ AGE ad.

WEIGHT(gms ______ SNOUT-VENT LENGTH(mm) 77

DATE Mar. 3, 1959 SPEEDOMETER 464

LOCALITY 2 mi. S. of UCR campus, Riverside Co., Calif.

STANDARD TIME 1415 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) 1-5 TAG NO. 35

AIR TEMPERATURE 27.5 °C ______ °F

~~ROAD~~ Rock TEMPERATURE 42 °C ______ °F

SOIL SURFACE TEMPERATURE 42.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. B22 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 75

DATE Mar. 3, 1959 SPEEDOMETER 464

LOCALITY 2 mi. S. of UCR campus, Riverside Co., Calif.

STANDARD TIME 1342 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) 1-5 TAG NO. 36

AIR TEMPERATURE 27.5 °C ______ °F

~~ROAD~~ Rock TEMPERATURE 42 °C ______ °F

SOIL SURFACE TEMPERATURE 42.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS: ______

SPECIES *Sceloporus occidentalis*

SACK NO. B31 SEX ♂ AGE imm.(?)

WEIGHT(gms) ________ SNOUT-VENT LENGTH (mm) 55

DATE Mar. 3, 1959 SPEEDOMETER 464

LOCALITY 2 mi. S. of UCR campus, Riverside Co., Calif.

STANDARD TIME 1320 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 1200

WIND VELOCITY (miles/hour) 1-5 TAG NO. 37

AIR TEMPERATURE 27.5 °C ________ °F

Rock ~~ROAD~~ TEMPERATURE 42 °C ________ °F

SOIL SURFACE TEMPERATURE 42.5 °C ________ °F

CLOACAL TEMPERATURE ________ °C ________ °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS: ________

[illegible] *Sceloporus occidentalis*

FIELD NO. B10 SEX ♂ AGE imm(?)

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 56

DATE Mar. 3, 1959 SPECIMEN NO. 464

LOCALITY 2 mi. S. of UCR campus, Riverside Co., Calif.

STANDARD TIME 1342 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) 1-5 [illegible] NO. 38

AIR TEMPERATURE 27.5 °C ____ °F

Rock ~~ROAD~~ TEMPERATURE 42 °C ____ °F

SOIL SURFACE TEMPERATURE 42.5 °C ____ °F

CLOACAL TEMPERATURE ____ °C ____ °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS: ____

Sceloporus occidentalis

SACK NO. B33 SEX ♀ AGE imm.(?)

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 53

DATE Mar. 3, 1959 [illegible] 464

LOCALITY 2 mi. S. of UCR campus, Riverside Co., Calif.

STANDARD TIME 1336 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) 1-5 [illegible] 39

AIR TEMPERATURE 27.5 °C ______ °F

~~ROAD~~ Rock TEMPERATURE 42 °C ______ °F

SOIL SURFACE TEMPERATURE 42.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS: ______

SPECIES Sceloporus occidentalis

SACK NO. Y5 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 63

DATE Mar. 10, 1959 FIELD NO. 469

LOCALITY 1 mi. W. of Phelan, San Bernardino Co., Calif.

STANDARD TIME 1210 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N ALTITUDE(ft) 4300

WIND VELOCITY (miles/hour) 3-5 TAG NO. 40

AIR TEMPERATURE (30") 17 °C ______ °F

~~ROAD~~ Air TEMPERATURE (1cm.) 20.8 °C ______ °F

SOIL SURFACE TEMPERATURE 37.2 °C ______ °F

CLOACAL TEMPERATURE 15 °C ______ °F

HABITAT Beneath Joshua tree log.

REMARKS: It was totally inactive when caught.

Sceloporus occidentalis 41

RS ♀ ad.

72

Mar. 31, 1959 887

LOCALITY 2 mi. S. of UCR campus

COUNTY Riverside STATE Calif.

STANDARD TIME 0940 CLOUDS(% overcast) none

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION none ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP.

(30 in) 22.6 °C AIR TEMP(1 cm) 22.0

TEMP °C CLOACAL TEMP

37.0 °C

rock outcrop in coastal sage scrub.

SPECIES Sceloporus occidentalis FIELD NO. 42

CONTAINER NO. Y13 SEX ♀ AGE ad. COLLECTOR

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE Mar. 31, 1959 SPECIMEN NO. 887

LOCALITY 2 mi. S. of UCR campus

COUNTY Riverside STATE Calif.

STANDARD TIME 0955 CLOUDS(% overcast) none

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION none ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP.

AIR TEMP(30 in) 22.6 °C AIR TEMP(1 cm) 22.0

TEMP °C CLOACAL TEMP

TEMP 37.0 °C

rock outcrop in coastal sage scrub.

Sceloporus occidentalis 43

Y8 ♀ ad.

72

Mar. 31, 1959 887

2 mi. S. of UCR campus

Riverside Calif.

1015 none

—

N.W. 1200

1-5

22.6 22.0

37.0

rock outcrop in coastal sage scrub.

Sceloporus occidentalis 44

Y6 ♀ ad.

69

Mar. 31, 1959 887

2 mi. S. of UCR campus

Riverside Calif.

1050 none

—

N.W. 1200

1-5

22.6 22.0

37.0

rock outcrop in coastal sage scrub.

Sceloporus occidentalis 45

B15 ♀ imm(?)

53

Mar. 31, 1959 887

2 mi. S. of UCR campus

Riverside Calif.

1115 none

—

N.W. 1200

5-10

22.6 22.0

37.0

coastal sage scrub.

Found resting on trunk of *Sambucus glauca*.

Sceloporus occidentalis 46

RS ♂ ad.

79

Mar. 31, 1959 887

2 mi. S. of UCR campus

Riverside Calif.

1055 none

—

N.W. 1200

1-5

22.6 22.0

37.0

rock outcrop in coastal sage scrub.

REMARKS:

Sceloporus occidentalis 47

YS ♂ ad.

78

April 1, 1959 —

UCR campus

Riverside Calif.

0810 none

—

none 1100

0

22.6 25.0

31.2

coastal sage scrub.

Found among citrus hydroponic chambers.

SPECIES *Sceloporus occidentalis*

SACK NO. Y6 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 79

DATE Apr. 11, 1959 SPEEDOMETER —

LOCALITY UCR campus, Riverside Co., Calif.

STANDARD TIME 0950 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft) 1200

WIND VELOCITY (miles/hour) 1-3 TAG NO. 48

AIR TEMPERATURE (30") 27.8 °C ______ °F

Air (1cm.) ~~ROAD~~ TEMPERATURE 30.0 °C ______ °F

Rock ~~SOIL~~ SURFACE TEMPERATURE 31.4 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT rock outcrop in coastal sage scrub.

REMARKS: ______

Sceloporus occidentalis 49

— ♂ ad.

81

Apr. 14, 1959 1763

2 mi. N.W. of Phelan

San Bernardino Calif.

1230 98 (thin)

— —

N.W. 4100

6

23.4 29.0

49.2

Joshua Tree woodland

Testis removed at collection site

SPECIES Sceloporus occidentalis

SACK NO. Y2 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 72

DATE Apr. 14, 1959 SPEEDOMETER 1763

LOCALITY 2 mi. N.W. Phelan, San Bernardino Co., Calif.

STANDARD TIME 1251 CLOUDS 98% (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 4100

WIND VELOCITY (miles/hour) 6 TAG NO. 50

AIR TEMPERATURE (30") 25.2 °C ______ °F

~~ROAD~~ Air TEMPERATURE (1cm) 26.0 °C ______ °F

SOIL SURFACE TEMPERATURE 42.0 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Joshua tree woodland

REMARKS: Seen on Joshua Tree

SPECIES *Sceloporus occidentalis*

SACK NO. 78 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 74

DATE April 14, 1959 SPEEDOMETER 1764

LOCALITY 2 mi. N.W. of Phelan, San Bernardino Co., Calif.

STANDARD TIME 1309 CLOUDS 98% (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 4100

WIND VELOCITY (miles/hour) 6 TAG NO. 51

AIR TEMPERATURE (30") 25.2 °C ______ °F

~~ROAD~~ Air (1cm) TEMPERATURE 26.0 °C ______ °F

SOIL SURFACE TEMPERATURE 42.0 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Joshua tree woodland

REMARKS: Taken from Joshua tree

SPECIES *Sceloporus occidentalis*

SACK NO. R1 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 73

DATE Apr. 14, 1959 SPEEDOMETER 1764

LOCALITY 2 mi. N.W. of Phelan, San Bernardino Co., Calif.

STANDARD TIME 1324 CLOUDS 98% (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 4100

WIND VELOCITY (miles/hour) 6 TAG NO. 52

AIR TEMPERATURE (30") 25.2 °C ______ °F

~~ROAD~~ Air (1cm) TEMPERATURE 26.0 °C ______ °F

SOIL SURFACE TEMPERATURE 42.0 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Joshua tree woodland

REMARKS: Taken on Joshua tree

SPECIES Sceloporus occidentalis

SACK NO. Y10 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 77

DATE Apr. 14, 1959 SPEEDOMETER 1765

LOCALITY 1 mi. W. of Phelan, San Bernardino Co., Calif.

STANDARD TIME 1350 CLOUDS 98% (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft) 4100

WIND VELOCITY (miles/hour) 7 TAG NO. 53

AIR TEMPERATURE (30") 25.2 °C ______ °F

~~ROAD~~ Air (1cm) TEMPERATURE 26.0 °C ______ °F

SOIL SURFACE TEMPERATURE 42.0 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Joshua tree woodland

REMARKS: Taken on Joshua tree

SPECIES *Sceloporus occidentalis*

SACK NO. RS SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 72

DATE Apr. 14, 1959 SPEEDOMETER 1764

LOCALITY 2 mi. N.W. of Phelan, San Bernardino Co., Calif.

STANDARD TIME 1315 CLOUDS 98% (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 4100

WIND VELOCITY (miles/hour) 6 TAG NO. 54

AIR TEMPERATURE (30") 25.2 °C ______ °F

~~ROAD~~ Air TEMPERATURE (1cm) 26.0 °C ______ °F

SOIL SURFACE TEMPERATURE 42.0 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Joshua Tree woodland

REMARKS: Taken from Joshua Tree

SPECIES Sceloporus occidentalis

SACK NO. R16 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 69

DATE Apr. 14, 1959 SPEEDOMETER 1764

LOCALITY 2 mi. N.W. of Phelan, San Bernardino Co., Calif.

STANDARD TIME 1340 CLOUDS 98% (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft) 4100

WIND VELOCITY (miles/hour) 7 TAG NO. 55

AIR TEMPERATURE (30") 25.2 °C ______ °F

~~ROAD~~ Air TEMPERATURE (1cm) 26.0 °C ______ °F

SOIL SURFACE TEMPERATURE 42.0 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Joshua tree woodland

REMARKS: Taken on Joshua tree

SPECIES Sceloporus occidentalis TAG NO. 56

CONTAINER NO. Y13 SEX ♂ AGE ad. TOE-CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE Apr. 24, 1959 SPEEDOMETER 26906

LOCALITY 1 mi. E. of Yucca Valley (Old Woman Spring Road)

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1430 CLOUDS(% overcast) 50

MOON ~ RELATIVE HUMIDITY(%) 19

WIND DIRECTION S.W. ALTITUDE(ft.) 3990

WIND VELOCITY(mi/hr) 10-13 ROAD TEMP. °C

[illegible] (50 in) 24.4 °C AIR TEMP(1 cm) 27.5 °C

[illegible] TEMP 39.5 °C CLOACAL TEMP °C

[illegible] TEMP °C

[illegible] Joshua Tree woodland

REMARKS Caught on a rock outcrop

SPECIES Sceloporus occidentalis

SACK NO. R 20 SEX ♂ AGE Ad

WEIGHT(gms ______ SNOUT-VENT LENGTH(mm) 84

DATE 3 May 59 SPEEDOMETER ______

LOCALITY Webber Hall back door UCR Campus

Riverside Co., Calif.

STANDARD TIME 1500 CLOUDS 15%

MOON —— RELATIVE HUMIDITY(%) ______

WIND DIRECTION W ALTITUDE(ft) 1100

WIND VELOCITY(miles/hour) 3-7 TAG NO. 57

AIR TEMPERATURE 17.4 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Ice plant

REMARKS: Building protected from wind

SPECIES Sceloporus occidentalis FIELD NO. 58

CONTAINER NO. B34 SEX ♀ AGE ad.(?) TOE-CLIP #

LENGTH(mm) SNOUT-VENT LENGTH(mm) 58

DATE May 8, 1959 SPEEDOMETER 5205

LOCALITY 9 mi. E. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1430 CLOUDS(% overcast) 0

ACCR — RELATIVE HUMIDITY(%) —

WIND DIRECTION W ALTITUDE(ft.) 4025

WIND VELOCITY(mi./hr.) 9-12 ROAD TEMP.

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 26.0 °C

SOIL SURFACE TEMP 38.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Open Joshua tree woodland

REMARKS: on power pole

SPECIES Sceloporus occidentalis CAT. NO. 59

CONTAINER NO. 88 SEX ♀ AGE ad.(?) TOE-CLIPS

WEIGHT (gm) SNOUT-VENT LENGTH (mm) 53

DATE May 8, 1959 SPEEDOMETER 5204

LOCALITY 8 mi. E. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1350 CLOUDS (% overcast) 0

MOON — RELATIVE HUMIDITY (%) —

WIND DIRECTION W. ALTITUDE (ft.) 4000

WIND VELOCITY (mi/hr) 9-12 ROAD TEMP. °C

AIR TEMP (30 in) 24.0 °C AIR TEMP (1 cm) 26.0 °C

[illegible] SURFACE TEMP 38.5 °C CLOACAL TEMP °C

[illegible] SURFACE TEMP °C

HABITAT Open Joshua tree woodland

REMARKS caught on fence post

SPECIES Sceloporus occidentalis CAT NO. 60

SPECIMEN NO. 820 SEX ♂ AGE ad. TOE-CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE May 8, 1959 SPEEDOMETER 5177

LOCALITY 1 mi. W. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W. ALTITUDE(ft.) 4400

WIND VELOCITY(mi./hr.) 9-12 ROAD TEMP.

AIR TEMP (30 in) 22.5 °C AIR TEMP(1 cm) 23.5

SOIL SURFACE TEMP 35.8 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Joshua Tree woodland

REMARKS: Caught on Joshua tree

SPECIES: Sceloporus occidentalis CAT. NO. 81

CONTAINER NO. B23 SEX ♂ AGE ad. TOE-CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 73

DATE May 8, 1959 SPEEDOMETER 5177

LOCALITY 1 mi. W. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W. ALTITUDE(ft.) 4400

WIND VELOCITY(mi./hr.) 9-12 ROAD TEMP. ____

AIR TEMP (30 in) 22.5 °C AIR TEMP(1 cm) 23.5

SOIL SURFACE TEMP 35.8 °C CLOACAL TEMP ____

ROCK SURFACE TEMP ____ °C

HABITAT Joshua tree woodland

REMARKS: Caught on Joshua tree

SPECIES Sceloporus occidentalis RECORD NO. 62

CONTAINER NO. B24 SEX ♂ AGE ad. TOE-CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE May 8, 1959 SPEEDOMETER 5177

LOCALITY 1 mi. W. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 0912 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W. ALTITUDE(ft.) 4400

WIND VELOCITY(mi./hr.) 9-12 ROAD TEMP

AIR TEMP (30 in) 22.5 °C AIR TEMP(1 cm) 23.5

SOIL SURFACE TEMP 35.8 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Joshua tree woodland

REMARKS: Caught on Joshua Tree

SPECIES Sceloporus occidentalis [illegible] NO. 63

CONTAINER NO. B19 SEX ♂ AGE ad. TOE-CLIPS

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 71

DATE May 8, 1959 SPEEDOMETER 5204

LOCALITY 8 mi. E. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1350 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W. ALTITUDE(ft.) 4000

WIND VELOCITY(mi/hr) 9-12 ROAD TEMP. °C

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 26.0 °C

SOIL SURFACE TEMP 38.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Open Joshua tree woodland

REMARKS caught on fence post

SPECIES Sceloporus occidentalis TAG NO. 64

CONTAINER NO. B17 SEX ♂ AGE ad.(?) TOE-CLIPS

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 50

DATE May 8, 1959 SPEEDOMETER 5204

LOCALITY 8 mi. E. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1350 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W. ALTITUDE(ft.) 4000

WIND VELOCITY(mi/hr) 9-12 ROAD TEMP. °C

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 26.0 °C

SURFACE TEMP 38.5 °C CLOACAL TEMP °C

SURFACE TEMP °C

HABITAT Open Joshua tree woodland

REMARKS caught on fence post

SPECIES Sceloporus occidentalis TAG NO. 65

CONTAINER NO. B22 SEX ♂ AGE ad. (?) PHOTOGRAPH

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 55

DATE May 8, 1959 SPEEDOMETER 5204

LOCALITY 8 mi. E. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W. ALTITUDE(ft.) 4000

WIND VELOCITY(mi/hr) 9-12 ROAD TEMP.

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 26.0 °C

SURFACE TEMP 38.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Open Joshua tree woodland

REMARKS on fence post

SPECIES: Sceloporus occidentalis TAG NO. 66

CONTAINER NO. B25 SEX ♂ AGE ad.(?) TOE-CLIP#

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 56

DATE May 8, 1959 SPEEDOMETER 5204

LOCALITY 8 mi. E. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1410 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W. ALTITUDE(ft.) 4000

WIND VELOCITY(mi/hr) 9-12 ROAD TEMP.

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 26.0 °C

SOIL SURFACE TEMP 38.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Open Joshua Tree woodland

REMARKS on fence post

SPECIES Sceloporus occidentalis NO. 67

CONTAINER NO. R22 SEX ♂ AGE ad. TOE-CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE May 8, 1959 SPEEDOMETER 5205

LOCALITY 9 mi. E. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1422 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W ALTITUDE(ft.) 4025

WIND VELOCITY(mi/hr) 9-12 ROAD TEMP.

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 26.0

SOIL SURFACE TEMP 38.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Open Joshua tree woodland

REMARKS on dead Joshua tree

SPECIES Sceloporus occidentalis TAG NO. 68

CONTAINER NO. B24 SEX ♂ AGE ad. TAIL-CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE May 8, 1959 SPEEDOMETER 5209

LOCALITY 12 mi. S.E. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W ALTITUDE(ft.) 3990

WIND VELOCITY(mi./hr.) 9-12 ROAD TEMP. °C

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 26.0 °C

SUBSTRATE SURFACE TEMP 38.5 °C CLOACAL TEMP °C

SHADE SURFACE TEMP °C

HABITAT Open Joshua tree woodland

REMARKS: on dead Joshua tree

SPECIES Sceloporus occidentalis FIELD NO. 69

SPECIMEN NO. Y-6 SEX ♂ AGE Ad

WEIGHT(gm.) SNOUT-VENT LENGTH(mm.) 77

DATE 9 May 1959 SPHEROMETER 5323

LOCALITY 2 mi. N. of Cedar Springs

COUNTY San Bernardino STATE Calif

STANDARD TIME 0915 CLOUDS(% overcast) 0

SNOW – RELATIVE HUMIDITY(%) –

WIND DIRECTION S.W. ALTITUDE(ft.) 3300

WIND VELOCITY(mi./hr.) 3-5 ROAD TEMP.

AIR TEMP (30 in) 18.7 °C AIR TEMP(1 cm) 23.0

SURFACE TEMP 35.3 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Log along stream bank

REMARKS:

SPECIES Sceloporus occidentalis TAG NO. 70

CONTAINER NO. Y12 SEX ♂ AGE ad. TAIL-CLIPPED

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 64

DATE May 9, 1959 SPEEDOMETER 5323

LOCALITY 2 mi. N. of Cedar Springs

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3225

WIND VELOCITY(mi./hr.) 3-5 ROAD TEMP.

AIR TEMP (30 in) 21.4 °C AIR TEMP(1 cm) 26.5

SAND SURFACE TEMP 42.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT stream bank

REMARKS:

SPECIES Sceloporus occidentalis 71

CATALOGUE NO. Y2 SEX ♂ AGE ad. TOE-CLIP #

LENGTH(mm) SNOUT-VENT LENGTH(mm) 63

DATE May 9, 1959 SPEEDOMETER 5323

LOCALITY 2 mi. N. of Cedar Springs

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3225

WIND VELOCITY(mi./hr.) 3-5 ROAD TEMP.

AIR TEMP (30 in) 21.4 °C AIR TEMP(1 cm) 26.5

SOIL SURFACE TEMP 42.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT stream bank

REMARKS:

SPECIES Sceloporus occidentalis CAT. NO. 72

CONTAINER NO. 411 SEX ♂ AGE ad. TOE-CLIPS

WEIGHT (gm) SNOUT-VENT LENGTH (mm) 79

DATE May 9, 1959 SPEEDOMETER 5323

LOCALITY 2 mi. N. of Cedar Springs

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1100 CLOUDS (% overcast) 0

MOON — RELATIVE HUMIDITY (%) —

WIND DIRECTION S.W. ALTITUDE (ft.) 3225

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP (30 in) 21.4 °C AIR TEMP (1 cm) 26.5 °C

SOIL SURFACE TEMP 42.5 °C CLOACAL TEMP °C

BODY CONTACT TEMP °C

HABITAT stream bank

REMARKS:

SPECIES *Sceloporus occidentalis* CATALOG NO. 73

CONTAINER NO. Y13 SEX ♂ AGE ad. TOE-CLIP

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 78

DATE May 9, 1959 SPEEDOMETER 5323

LOCALITY 2 mi. N. of Cedar Springs

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3225

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP.

AIR TEMP (30 in) 21.4 °C AIR TEMP(1 cm) 26.5

SOIL SURFACE TEMP 42.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT stream bank

REMARKS

SPECIES Sceloporus occidentalis TAG NO. 79

CONTAINER NO. R1 SEX ♂ AGE ad. TOE-CLIPS

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE May 9, 1959 SPEEDOMETER 5338

LOCALITY 6 mi. S.E. of Hesperia

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 3140

WIND VELOCITY(mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 24.6 °C AIR TEMP(1 cm) 31.0

(lizard?) SURFACE TEMP 46.6 °C CLOACAL TEMP

SUBSTRATE TEMP °C

HABITAT grazed Joshua tree woodland

REMARKS on fence post

SPECIES Sceloporus occidentalis CATALOG NO. 75

CONTAINER NO. R10 SEX ♂ AGE ad.(?) COLLECTOR

WEIGHT (gm) SNOUT-VENT LENGTH (mm) 58

DATE May 9, 1959 SPEEDOMETER 5338

LOCALITY 6 mi. S.E. of Hesperia

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1350 CLOUDS (% overcast) 0

MOON — RELATIVE HUMIDITY (%) —

WIND DIRECTION 0 ALTITUDE (ft.) 3140

WIND VELOCITY (mi/hr) 0 ROAD TEMP. °C

AIR TEMP (30 in) 24.6 °C AIR TEMP (1 cm) 31.0 °C

SOIL SURFACE TEMP 46.6 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Grazed Joshua tree woodland

REMARKS:

SPECIES Sceloporus occidentalis NO. 76

IDENTIFICATION NO. Y1 SEX ♀ AGE ad.

LENGTH(mm) SNOUT-VENT LENGTH(mm) 74

DATE May 9, 1959 THERMOMETER 5323

LOCALITY 2 mi. N. of Cedar Springs

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1058 CLOUDS(% overcast) 0

ROCK — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3225

WIND VELOCITY(mi./hr.) 3-5 ROAD TEMP.

AIR TEMP (30 in) 21.4 °C AIR TEMP(1 cm) 26.5

SURFACE TEMP 42.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT stream bank

REMARKS:

5 eggs in left oviduct
13.5 mm. x 7.5 mm.
13.8 " x 7.8 "
13.7 " x 7.5 "
14.0 " x 8.6 "
13.5 " x 7.5 "

5 eggs in right oviduct
13.7 mm. x 7.6 mm.
13.3 " x 7.4 "
13.8 " x 8.4 "
13.7 " x 8.4 "
13.4 " x 8.0 "

SPECIES *Sceloporus occidentalis* NO. 77

CONTAINER NO. Y8 SEX ♀ AGE ad(?)

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 56

DATE May 9, 1959 SPEEDOMETER 5323

LOCALITY 2 mi. N. of Cedar Springs

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3225

WIND VELOCITY(mi./hr.) 3-5 ROAD TEMP. ______

AIR TEMP (30 in) 21.4 °C AIR TEMP(1 cm) 26.5

SOIL SURFACE TEMP 42.5 °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT stream bank

REMARKS:

SPECIES Sceloporus occidentalis FIELD NO. 78

CONTAINER NO. R9 SEX ♀ AGE ad. (?) TOE-CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 57

DATE May 9, 1959 SPEEDOMETER 5323

LOCALITY 2 mi. N. of Cedar Springs

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3225

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP.

AIR TEMP (30 in) 21.4 °C AIR TEMP(1 cm) 26.5

SOIL SURFACE TEMP 42.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Stream bank

REMARKS:

SPECIES Sceloporus occidentalis TAG NO. 79

CONTAINER NO. B27 SEX ♀ AGE ad.(?) TOE-CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 55

DATE May 9, 1959 SPEEDOMETER 5338

LOCALITY 6 mi. S.E. of Hesperia

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1400 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 3140

WIND VELOCITY(mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 24.6 °C AIR TEMP(1 cm) 31.0

SOIL SURFACE TEMP 46.6 °C CLOACAL TEMP

SHADE SURFACE TEMP °C

HABITAT Grazed Joshua tree woodland

REMARKS

SPECIES Sceloporus occidentalis FIELD NO. 80

CONTAINER NO. B18 SEX ♀ AGE ad.(?) TOE-CLIP

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 53

DATE May 9, 1959 SPEEDOMETER 5338

LOCALITY 6 mi. S.E. of Hesperia

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1410 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 3140

WIND VELOCITY(mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 24.6 °C AIR TEMP (1 cm) 31.0

SOIL SURFACE TEMP 46.6 °C CLOACAL TEMP

SOIL SURFACE TEMP °C

HABITAT Grazed Joshua Tree woodland

REMARKS

T.C. #1

SPECIES Sceloporus occidentalis

SACK NO. Y2 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 77

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats, San Bernardino Co., Calif.

STANDARD TIME 0945 CLOUDS 30%

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY (miles/hour) 1-2 TAG NO. 81

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 30.2 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Riparian

REMARKS: ______

Sceloporus occidentalis 82

COLLECTOR NO. B23 SEX ♀ AGE ad. TAPE-ROLL NO. 2

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 73

DATE May 17, 1959 THERMOMETER 13903

LOCALITY South Fork campground, Barton Flats

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1015 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 6300

WIND VELOCITY(mi./hr.) 1-2 ROAD TEMP.

AIR TEMP (30 in) 18.8 °C AIR TEMP(1 cm) 23.2

SOIL SURFACE TEMP 30.2 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Riparian

REMARKS Eggs in oviducts, see over.

L. ~~oviduct~~
4 eggs
13.4 x 6.5
13.7 x 7.2
12.8 x 7.7
13.5 x 7.7

R. ~~oviduct~~
4 eggs
12.6 x 7.4
13.4 x 8.1
13.2 x 7.2
13.1 x 7.8

T.C. #3

SPECIES *Sceloporus occidentalis*

SACK NO. R22 SEX ♂ AGE ad.

WEIGHT(gms) ____ SNOUT-VENT LENGTH (mm) 74

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats, San Bernardino Co., Calif.

STANDARD TIME 0930 CLOUDS 30%

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY (miles/hour) 1-2 TAG NO. 83

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE ____ °C ____ °F

SOIL SURFACE TEMPERATURE 30.2 °C ____ °F

CLOACAL TEMPERATURE ____ °C ____ °F

HABITAT Riparian

REMARKS: ____

T.C. #4

SPECIES Sceloporus occidentalis

SACK NO. Y 1 SEX ♂ AGE ad.

WEIGHT(gms ______ SNOUT-VENT LENGTH(mm) 76

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats, San Bernardino Co., Calif.

STANDARD TIME 0855 CLOUDS 30%

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY(miles/hour) 1-2 TAG NO. 84

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 30.2 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Riparian

REMARKS: on a log

SPECIES Sceloporus ~~graciosus~~ occidentalis T.C. #7

SACK NO. R16 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 77

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats, San Bernardino Co., Calif.

STANDARD TIME 0915 CLOUDS 30%

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY (miles/hour) 1-2 TAG NO. 85

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 30.2 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Riparian

REMARKS: ______

T.C. #5

SPECIES Sceloporus occidentalis ~~graciosus~~

SACK NO. R10 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 76

DATE May 17, 1959 SPEEDOMETER 13903

LOCALITY South Fork campground, Barton Flats, San Bernardino Co., Calif.

STANDARD TIME 0945 CLOUDS 30%

MOON —— RELATIVE HUMIDITY(%) ——

WIND DIRECTION N.W. ALTITUDE(ft) 6300

WIND VELOCITY (miles/hour) 1-2 TAG NO. 86

AIR TEMPERATURE (30") 18.8 °C (1cm) 23.2 °C

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 30.2 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Riparian

REMARKS: Eggs in oviduct - See over

L oviduct
4 eggs
13.2 x 8.0
13.5 x 8.1
13.4 x 8.0
13.5 x 7.8

R. oviduct.
4 eggs
14.9 x 8.3
13.8 x 8.6
14.7 x 8.0
14.3 x 8.1

SPECIES Sceloporus occidentalis 87

CONTAINER R11 ♀ ad.?

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 58

DATE May 29, 1959 SPECIMEN NUMBER 7700

LOCALITY 4 mi. E. of Riverside (Top of Box Springs MTs.)

COUNTY Riverside STATE Calif.

STANDARD TIME 1502 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3000

WIND VELOCITY(mi/hr) 5-7 ROAD TEMP ______

AIR TEMP (30 in) 20.3 °C AIR TEMP (1 cm) 24.5

SOIL SURFACE TEMP 36.5 °C CLOACAL TEMP ______

ROCK SURFACE TEMP 35.0 °C

HABITAT Rocky outcrop in coastal sage scrub.

REMARKS seen sitting in sun on a rock.

Sceloporus occidentalis 88

CATALOGUE NO. Y5 SEX ♂ ad.

WEIGHT: SNOUT-VENT LENGTH: 80

DATE May 29, 1959 SPECIMEN NUMBER 7696

LOCALITY Pigeon Pass Road. 12 mi. S. E. of Riverside

COUNTY Riverside STATE Calif.

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1500

WIND VELOCITY(mi./hr.) 5-7 ROAD TEMP.

SOIL TEMP (20 in) 24.6 °C AIR TEMP(1 cm) 35.0

SOIL SURFACE TEMP 55.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in coastal sage scrub

REMARKS: sitting in sun on a rock.

SPECIES Sceloporus occidentalis FIELD NO. 89

CONTAINER NO. R11 SEX ♂ AGE ad. TOE-CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE May 29, 1959 SPEEDOMETER 7700

LOCALITY 4 mi. E. of Riverside (Top of Box Springs Mts.)

COUNTY Riverside STATE Calif.

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3000

WIND VELOCITY(mi/hr) 5-7 ROAD TEMP.

AIR TEMP (30 in) 20.3 °C AIR TEMP(1 cm) 24.5

SOIL SURFACE TEMP 36.5 °C CLOACAL TEMP

ROCK SURFACE TEMP 35.0 °C

HABITAT Rocky outcrop in coastal sage scrub.

REMARKS seen sitting in sun on a rock.

Sceloporus occidentalis 91

831 ♂ ad.

76

May 29, 1959 7696

LOCALITY 12 mi. S.E. of Riverside on Pigeon Pass Road.

COUNTY Riverside STATE Calif.

STANDARD TIME 1412 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1500

WIND VELOCITY(mi./hr.) 5-7 ROAD TEMP

AIR TEMP (30 in) 24.6 °C AIR TEMP(1 cm) 35.0

SOIL SURFACE TEMP 55.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in coastal sage scrub

REMARKS: sitting on rock in the sun

Sceloporus occidentalis 92

R3 ♂ ad.

~~87~~ 69

May 29, 1959 7696

LOCALITY 12 mi. S.E. of Riverside on Pigeon Pass Road.

COUNTY Riverside STATE Calif.

STANDARD TIME 1350 CLOUDS(% overcast) 0

— —

N.W. ALTITUDE(ft.) 1500

VELOCITY(mi./hr.) 5-7

24.6 °C AIR TEMP(1 cm) 35.0

SURFACE TEMP 55.5 °C CLOACAL TEMP

SURFACE TEMP °C

HABITAT Rocky outcrop in coastal sage scrub

REMARKS: sitting in sun on a rock.

Escaped from sack on campus, but recaptured.

Sceloporus occidentalis 93

— ♂ ad.(?)

62

June 13, 1959 205

12 mi. S.E. of Riverside (Pigeon Pass Road)

Riverside

0

— —

0 1200

0

rocky outcrop in coastal sage scrub

no other data collected.

Sceloporus occidentalis 94

— ♂ ad.(?)

65

June 13, 1959 205

12 mi. S.E. of Riverside (Pigeon Pass Road)

Riverside

0

— —

0 1200

0

rocky outcrop in coastal sage scrub

no other data collected.

Sceloporus occidentalis 95

— ♀ ad.(?)

64

June 13, 1959 205

12 mi. SE. of Riverside (Pigeon Pass Road)

Riverside

0

— —

0 1200

0

rocky outcrop in coastal sage scrub

no other data collected.

Sceloporus occidentalis

B32 ♀ ad.

77

June 23, 1959 9146

8 mi. S.E. of Phelan

San Bernardino

0800 0

— 38

0 3500

0

32.0 32.6

39.0

chaparral

sitting head down on post with only its head in the sun.

Sceloporus occidentalis NO. 97

CONTAINER NO. B34 SEX ♀ AGE ad. TOE CLIP#

SNOUT-VENT LENGTH(mm) 77

June 23, 1959 9156

1 mi. W. of Phelan

San Bernardino CALIF.

STANDARD TIME 0930 CLOUDS(% overcast) 0

— RELATIVE HUMIDITY(%) 21

~~N.E.~~ S.E. ALTITUDE(ft.) 4400

WIND VELOCITY (mi/hr) 3-6 ROAD TEMP.

33.0 °C AIR TEMP(1cm) 34.8 °C

42.3 °C CLOACAL TEMP °C

°C

Joshua tree woodland

sitting on shady side of telephone pole

SPECIES Sceloporus occidentalis TAG. NO. 98

CONTAINER NO. B 2 SEX ♀ AGE ad.(?) TOE CLIP #

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 56

DATE June 23, 1959 SPEEDOMETER 9155

LOCALITY 1 mi. W. of Phelan

COUNTY San Bernardino CALIF.

STANDARD TIME 0915 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 21

WIND DIRECTION ~~E~~ S.E. ALTITUDE(ft.) 4300

WIND VELOCITY (mi/hr) 3-6 ROAD TEMP.

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 34.8 °C

SOIL SURFACE TEMP 42.3 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Joshua tree woodland

REMARKS: on shady side of telephone pole

Sceloporus occidentalis 99

B23 ♀ ad.

74

June 23, 1959 9162

Desert Springs

San Bernardino

1040 0

— 19

N.W. 4000

3-5

37.5 41.0

62.0

Joshua Tree woodland

sitting in shade on trunk of Joshua tree.

Sceloporus occidentalis

R4 ♀ ad.

69

June 23, 1959 9187

1 mi. E. of Phelan

San Bernardino

1310 10

— 24

S.W. 4000

10-16

34.5 39.5

52.0

cleared Joshua tree woodland

on shady side of telephone pole

♂ caught on same pole.

Sceloporus occidentalis 107

R18 ♂ ad.

77

June 23, 1959 9188

2 mi. E. of Phelan

San Bernardino

1330 10

— 24

S. W. 4000

10-16

34.5 39.5

52.0

cleared Joshua tree woodland

on shady side of fence post

Sceloporus occidentalis 102

B 3 ♂ ad(?)

64

June 23, 1959 9187

1 mi. E. of Phelan

San Bernardino

1315 10

— 24

S.W. 4000

10-16

34.5 39.5

52.0

cleared Joshua tree woodland

sitting in shade on fence post.

Sceloporus occidentalis 103

R4 ♂ ad.

SNOUT-VENT LENGTH(mm) 76

DATE June 23, 1959 9187

LOCALITY 1 mi. E. of Phelan

San Bernardino

STANDARD TIME 1310 CLOUDS (% Overcast) 10

— RELATIVE HUMIDITY(%) 24

WIND DIRECTION S.W. ALTITUDE(ft.) 4~~000~~

WIND VELOCITY (mi/hr) 10-16

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 39.5

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT cleared Joshua tree woodland

REMARKS: on shady side of telephone pole.
♀ caught on same pole.

Sceloporus occidentalis 104

B18 ♂ ad.

73

June 23, 1959 9162

Desert springs

San Bernardino

1030 0

— 19

N.W. 4000

3-5

37.5 41.0

62.0

Joshua tree woodland

sitting in shade on Joshua tree.

A *Sceloporus magister* caught in same tree.

Sceloporus occidentalis 185

B 24 ♂ ad.

72

June 23, 1959 9162

Desert Springs

San Bernardino

1040 0

— 19

N. W. 4000

3-5

37.5 41.0

62.0

Joshua tree woodland

sitting in shade on trunk of Joshua tree.

Sceloporus occidentalis 106

B 20 ♂ ad.

79

June 23, 1959 9159

3 mi. ~~E.~~ W. of Phelan

San Bernardino

0950 0

— 19

0 4300

0

36.0 42.2

57.5

Joshua Tree woodland

sitting in shade on branch of Joshua tree.

Sceloporus occidentalis 107

B19 ♂ ad.

74

June 23, 1959 9159

3 mi. W. of Phelan

San Bernardino

1010 0

— 19

0 4300

0

36.0 42.2

57.5

Joshua tree woodland

on shady side of Joshua tree.

Sceloporus occidentalis 108

B29 ♂ ad.

76

June 23, 1959 9158

3 mi. W. of Phelan

San Bernardino

0940 0

— 21

S.E. 4300

3-6

33.0 34.8

42.3

Joshua tree woodland

On shady side of Joshua Tree

Sceloporus occidentalis TAG. NO. 109

B27 ♂ AGE ad.

SNOUT-VENT LENGTH 77

June 23, 1959 SPEEDOMETER 9156

1 mi. W. of Phelan

San Bernardino CALIF.

0930 0

— RELATIVE HUMIDITY(%) 21

S.E. ALTITUDE(ft.) 4480

3-6

33.0 °C AIR TEMP(1cm) 34.8 °C

42.3 °C CLOACAL TEMP °C

°C

Joshua tree woodland

On green post at side of road.

110

Sceloporus occidentalis

B26 ♂ ad.

70

June 23, 1959 9156

1 mi. W. of Phelan

San Bernardino

0923 0

— 21

S.E. 4400

3-6

33.0 34.8

42.3

Joshua Tree woodland

sitting in shade on side of Joshua Tree.

Sceloporus occidentalis 111

B31 ♂ ad.

63

June 23, 1959 9154

1 mi. W. of Phelan

San Bernardino

0835 0

— 21

0 4400

0

33.0 34.8

42.3

Joshua tree woodland

sitting in shade on Joshua Tree

Sceloporus occidentalis 112

B28 ♂ ad.

74

June 23, 1959 9154

1 mi. W. of Phelan

San Bernardino

0850 0

— 21

0 4300

0

33.0 34.8

42.3

Joshua Tree woodland

in shade on side of Joshua Tree.

Sceloporus occidentalis 113

B33 ♂ ad.(?)

61

June 23, 1959 9149

5 mi. S.E. of Phelan

San Bernardino

0820 0

— 30

0 4000

0

32.0 32.6

39.0

Chaparral

sitting in sun on top of fence post.

Sceloporus occidentalis 114

830 ♂ ad.

77

June 23, 1959 9148

6 mi. S.E. of Phelan

San Bernardino

0815 0

— 30

0 3800

0

32.0 32.6

39.0

chaparral

sitting in sun on top of fencepost.

Sceloporus occidentalis 115

B1 ♂ imm.(?)

53

June 23, 1959 9158

3 mi. W. of Phelan

San Bernardino

0940 0

— 21

S.E. 4300

3-6

33.0 34.8

42.3

Joshua Tree woodland

on shady side of Joshua tree

Sceloporus occidentalis 116

B22 ♂ imm(?)

59

June 23, 1959 9160

3 mi. W. of Phelan

San Bernardino

1025 0

— 19

0 4300

0

36.0 42.2

57.5

Joshua Tree woodland

on shady side of Joshua tree.

Sceloporus occidentalis 117

R8 ♂ ad.

63

June 24, 1959 9261

3 mi. N. of Sunnymead (Pigeon Pass Road)

Riverside

0800 0

— 38

0 1850

0

27.8 28.9

47.0

33.8

rocky outcrop in coastal sage scrub.

sitting in sun on top of rock.

Dead in Sack. Destroyed.

Sceloporus occidentalis 118

R8 ♂ ad. 1

68

June 24, 1959 9261

3 mi. N. of Sunnymead

Riverside

0805 0

— 38

0 1850

0

27.8 °C 28.9

47.0 °C

33.8

rocky outcrop in coastal sage scrub.

sitting in sun on top of rock.

Sceloporus occidentalis 119

Y10 ♂ ad.

65

June 24, 1959 9261

3 mi. N. of Sunnymead

Riverside

0820 0

— 38

S.W. 1850

3-5

27.8 28.9

47.0

33.8

rocky outcrop in coastal sage scrub.

sitting in sun on a rock

Sceloporus occidentalis 120

R7 ♂ ad.

72

June 24, 1959 9261

3 mi. N. of Sunnymead

Riverside

0900 0

— 38

0 1850

0

27.8 28.9

47.0

33.8

rocky outcrop in coastal sage scrub.

sitting in sun on a rock

Sceloporus occidentalis 121

R8 ♀ ad. 2

June 24, 1959 9261

3 mi. N. of Sunnymead

Riverside

0830 0

— 38

0 1850

0

27.8 28.9

47.0

33.8

rocky outcrop in coastal sage scrub.

sitting in sun on rock

Died in sack

Sceloporus occidentalis 122

Rb ♀ ad.

58

June 24, 1959 9263

1 mi. N. of Sunnymead

Riverside

0930 0

— 27

S.E. 1800

1-2

29.6 31.8

45.0

39.5

coastal sage scrub

sitting in sun on top of fence post.

Sceloporus occidentalis 123

Rb ♀ ad.

61

June 24, 1959 9263

1 mi. N. of Sunnymead

Riverside

0930 0

— 27

S. E. 1800

1 - 2

29.6 31.8

45.0

39.5

rocky area in coastal sage scrub

sitting in sun on top of fence post

Sceloporus occidentalis 124

R7 ♀ ad.

74

July 9, 1959 8908

3 mi. N. of Sunnymead

Riverside

0700 80 (thin)

— 43

0 1800

0

25.8 26.1

27.5 27.4

rock outcrop in coastal sage scrub

sitting on rock in the sun. No chase.

Species: Sceloporus occidentalis 125

Field Number: B17 Sex: ♀ Age: ad.

Weight (gm): Snout-Vent Length (mm): 72

Date: July 9, 1959 Thermometer: 8908

Locality: 3 mi. N. of Sunnymead

County: Riverside Calif.

Standard Time: 0750 Clouds (% Overcast): 80 (thin)

Moon: — Relative Humidity (%): 30

Wind Direction: S.E. Altitude (ft.): 1800

Wind Velocity (mi/hr): 0-3 Road Time:

Air Temp (30 in): 32.2 °C Air Temp (1 cm): 34.2

Soil Surface Temp: 40.5 °C Cloacal Temp: 36.2

Rock Surface Temp: °C

Habitat: rock outcrop in coastal sage scrub.

Remarks: sitting in sun on a rock. Slight chase.

Sceloporus occidentalis 126

Y11 ♀ ad.

62

DATE July 9, 1959 8910

LOCALITY 4 mi. N.W. of Sunnymead

COUNTY Riverside CALIF.

0920 CLOUDS (% Overcast) 80 (thin)

— RELATIVE HUMIDITY(%) 17

S.E. ALTITUDE(ft.) 2200

WIND VELOCITY (mi/hr) 7-10

34.0 °C 35.8

48.5 °C 36.4

40.6 °C

HABITAT rock outcrop in chaparral.

REMARKS: sitting in shade on rock. Slight chase. Caught on same rock as [redacted] a *Sceloporus orcutti*.

Sceloporus occidentalis 127

829 ♂ ad.

70

July 9, 1959 8908

3 mi. N. of Sunnymead

Riverside

0630 (80 thin)

— 51

0 1800

0

23.9 24.6

25.8 31.0

coastal sage scrub — rock outcrop.

sitting in sun on a rock. Slight chase.

Sceloporus occidentalis 128

B25 ♂ ad.

78

July 9, 1959 8908

3 mi. N. of Sunnymead

Riverside

0640 80(thin)

— 51

0 1800

0

23.9 24.6

25.8 30.0

creosote bush scrub

sitting on a rock in the sun. No chase.

Sceloporus occidentalis

R 16 ♂ ad.

73

July 9, 1959 8908

3 mi. N. of Sunnymead

Riverside

0700 80 (thin)

— 43

0 1800

0

23.9 24.6

25.8 32.8

rock outcrop in coastal sage scrub

slight chase. Sitting on rock in sun.

Sceloporus occidentalis 130

R7 ♂ ad.

72

July 9, 1959 8908

3 mi. N. of Sunnymead

Riverside

0715 80 (thin)

— 37

0 1800

0

23.9 °C 24.6

25.8 °C 33.2

°C

rock outcrop in coastal sage scrub.

sitting in sun on a rock. Slight chase.

Sceloporus occidentalis 131

R 6 ♂ ad.

July 9, 1959 8908

3 mi. N. of Sunnymead

Riverside

0720 80 (thin)

— 34

0 1800

0

30.8 32.4

37.2 34.2

rock outcrop in coastal sage scrub

sitting in sun on rock. No chase.

Molting

Sceloporus occidentalis 132

822 ♂ ad.

74

July 9, 1959 8909

4 mi. N. of Sunnymead

Riverside

0805 80 (thin)

— 29

S.E. 2000

3-7 (gusts to 12)

32.2 34.2

40.5 34.1

rock outcrop in coastal sage scrub

sitting on rock in sun. Slight chase.

Sceloporus occidentalis 133

R9 ♂ ad.

66

July 9, 1959 8910

4 mi. N.W. of Sunnymead

Riverside

0822 80 (thin)

— 29

S.E. 2200

3-7

34.5 37.0

41.4 33.4

39.5

rock outcrop in chaparral.

sitting in sun on a rock. No chase.

Sceloporus occidentalis 134

Y1 ♂ ad.

68

July 9, 1959 8910

4 mi. N.W. of Sunnymead

Riverside

0830 80 (thin)

— 2~~4~~

S.E. 2200

3-7

34.5 37.0

41.4 38.0

39.5

rock outcrop in chaparral.

sitting on a rock in the shade. Slight chase.

Sceloporus occidentalis 135

R 10 ♂ ad.

79

July 9, 1959 8910

4 mi. N.W. of Sunnymead

Riverside

0850 80 (thin)

— 20

S.E. 2200

7-10

34.0 35.8

48.5 36.6

40.6

rock outcrop in chaparral.

sitting on rock in shade. No chase.

Sceloporus occidentalis 136

B 24 ♀ ad(?)

58

July 15, 1959 5826

2 mi. E. of Phelan

San Bernardino

1850 0

— 35

S. W. 3900

10-14

26.0 25.7

26.4

Joshua tree woodland

sitting in fading sunlight on side of electric pole. (Caught when it climbed up my pant leg.)

Sceloporus occidentalis 137

R22 ♀ ad.

66

July 16, 1959 5906

4 mi. N.W. of Sunnymead

Riverside

0805 0

— 36

0 2850

0

28.8 30.0

39.9 33.2

rock outcrop in chaparral

sitting on rock in sun. Slight chase.

Sceloporus occidentalis 138

R18 ♀ ad.

70

July 16, 1959 5906

4 mi. N. W. of Sunnymead

Riverside

0830 0

— 31

0 2850

0

29.6 34.0

42.4 34.2 x

35.0

rock outcrop in chaparral

sitting on rock in sun. Considerable chase.

SPECIES Sceloporus occidentalis TAG. NO. 139

CONTAINER NO. B21 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE July 16, 1959 SPEEDOMETER 5915

LOCALITY 3 mi. N. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 1145 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 31

WIND DIRECTION N.W. ALTITUDE(ft.) 1850

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C

HABITAT rock outcrop in coastal sage scrub.

REMARKS: sitting on top of rock in shade. Slight chase.

SPECIES Sceloporus occidentalis TAG. NO. 140

CONTAINER NO. B19 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 63

DATE July 16, 1959 SPEEDOMETER 5915

LOCALITY 3 mi. N. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 1155 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 31

WIND DIRECTION N.W. ALTITUDE(ft.) 1850

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP 37.5 °C

ROCK SURFACE TEMP °C

HABITAT rock outcrops in coastal sage scrub.

REMARKS: sitting in shade on fence post. No chase.

Sceloporus occidentalis 141

R4 ♂ ad.

60

July 8, 1959

Camp Emerson, 1 mi. from Idyllwild

Riverside

~5000

coniferous forest

No other data available.
(Caught by David Reuther)

Sceloporus occidentalis 142

R4 ♂ ad.

64

July 8, 1959

Camp Emerson, 1 mi. from Idyllwild

Riverside

~ 5000

coniferous forest

No other data available.
(Caught by David Reuther)

Sceloporus occidentalis 143

R16 ♂ ad.

79

July 9, 1959

Camp Emerson, 1mi. from Idyllwild

Riverside

~5000

coniferous forest

No other data available.
(caught by David Reuther)

Sceloporus occidentalis 144

Y9 ♂ ad.

80

July 9, 1959

Camp Emerson, 1mi. from Idyllwild

Riverside

~5000

coniferous forest

No other data available.
(Caught by David Reuther)

Sceloporus occidentalis 145

B32 ♂ imm(?)

55

July 9, 1959

Camp Emerson, 1 mi. from Idyllwild

Riverside

~5000

coniferous forest

No other data available.

(Caught by David Reuther)

Sceloporus occidentalis 146

B27 ♂ imm.(?)

56

July 9, 1959

Camp Emerson, 1 mi. from Idyllwild

Riverside

~5000

coniferous forest

No other data available

(Caught by David Reuther)

Sceloporus occidentalis 147

B 26 ♂ imm.(?)

58

July 9, 1959

Camp Emerson, 1 mi. from Idyllwild

Riverside

~5000

coniferous forest

No other data available.

(caught by David Reuther)

Sceloporus occidentalis 148

B 22 ♀ imm.(?)

53

July 9, 1959

Camp Emerson, 1 mi. from Idyllwild

Riverside

~5000

coniferous forest

No other data available.

(caught by David Reuther)

Sceloporus occidentalis 149

B 17 ♀ imm.(?)

57

July 9, 1959

Camp Emerson, 1 mi. from Idyllwild

Riverside

~5000

coniferous forest

No other data available.
(Caught by David Reuther)

Sceloporus occidentalis 150

B 20 ♂ imm.(?)

59

July 9, 1959

Camp Emerson, 1 mi. from Idyllwild

Riverside

~ 5000

coniferous forest

No other data available

(Caught by David Reuther)

Sceloporus occidentalis 151

R9 ♀ ad.(?)

61

July 16, 1959

Camp Emerson, 1mi. from Idyllwild

Riverside

5200

71-87

coniferous forest

caught on rocks. (Caught by David Reuther). No other data available.

Sceloporus occidentalis 152

R9 ♀ ad.(?)

51

July 16, 1959

Camp Emerson, 1 mi. from Idyllwild

Riverside

5200

71 - 87

coniferous forest

caught on rocks. (Caught by David Reuther). No other data available.

Sceloporus occidentalis 153

R9 ♀ ad.(?)

56

July 16, 1959 —

Camp Emerson, 1mi. from Idyllwild

Riverside

5200

71- 87 °F

coniferous forest

caught on rocks. (Caught by David Reuther). No other data available.

Sceloporus occidentalis 154

R9 ♂ ad.(?)

62

July 17, 1959 —

Camp Emerson, 1 mi. from Idyllwild

Riverside

5200

71 - 87 °F

coniferous forest

caught on rocks. (Caught by David Reuther). No other data available.

Sceloporus occidentalis 155

R 9 ♀ ad. (?)

55

July 18, 1959 -

Camp Emerson, 1 mi. from Idyllwild

Riverside

5200

71-87 °F

coniferous forest

caught on rocks. (Caught by David Reuther). No other data available.

Sceloporus occidentalis 156

R9 ♂ ad.

62

July 18, 1959 —

Camp Emerson, 1 mi. from Idyllwild

Riverside

5200

71 - 87 °F

coniferous forest

caught on rocks. (Caught by David Reuther). No other data available.

Sceloporus occidentalis 157

R9 ♂ ad.(?)

58

July 18, 1959 —

Camp Emerson, 1 mi. from Idyllwild

Riverside

5200

71-87 °F

coniferous forest

caught on rocks. (Caught by David Reuther). No other data available.

Sceloporus occidentalis 158

R 9 ♀ ad.(?)

60

July 18, 1959 —

Camp Emerson, 1 mi. from Idyllwild

Riverside

5200

71-87 F

coniferous forest

caught on rocks. (Caught by David Reuther). No other data available.

Sceloporus occidentalis 159

R 9 ♀ ad.

70

July 19, 1959 —

Camp Emerson, 1 mi. from Idyllwild

Riverside

5200

71-87 F

coniferous forest

caught on rocks. (Caught by David Reuther). No other data available.

Sceloporus occidentalis 160

R9 ♂ ad.(?)

62

July 19, 1959 —

Camp Emerson, 1 mi. from Idyllwild

Riverside

5200

71-87 °F

coniferous forest

caught on rocks. (Caught by David Reuther). No other data available.

SPECIES Sceloporus occidentalis TAG NO. 161

CONTAINER NO. B30 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 64

DATE July 29, 1959 SPEEDOMETER 29191

LOCALITY 1 mi. E. of Phelan

COUNTY San Bernardino CALIF.

STANDARD TIME 0705 CLOUDS (% Overcast) 30

MOON — RELATIVE HUMIDITY(%) 18

WIND DIRECTION S. E. ALTITUDE(ft.) 3950

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP.

AIR TEMP(30 in) 27.2 °C AIR TEMP(1 cm) 28.0 °C

SOIL SURFACE TEMP 31.0 °C CLOACAL TEMP 31.9 °C

ROCK SURFACE TEMP °C substrate Temp (fence post-sun) — 36.5°C.

HABITAT open Joshua Tree woodland

REMARKS: sitting in sun on fencepost. No chase.

SPECIES Sceloporus occidentalis TAG. NO. 162

CONTAINER NO. B 30 SEX ♂ AGE ad. TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 64

DATE July 29, 1959 SPEEDOMETER 29191

LOCALITY 1 mi. E. of Phelan

COUNTY San Bernardino CALIF.

STANDARD TIME 0708 CLOUDS (% Overcast) 30

MOON — RELATIVE HUMIDITY(%) 18

WIND DIRECTION S.E. ALTITUDE(ft.) 3950

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP.

AIR TEMP(30 in) 27.2 °C AIR TEMP(1 cm) 28.0 °C

SOIL SURFACE TEMP 31.0 °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP °C

HABITAT open Joshua tree woodland

REMARKS: sitting in sun on top of fencepost. No chase.

Sceloporus occidentalis

SPECIMEN NO. B19 SEX ♀ AGE ad.

WEIGHT (gm): SNOUT-VENT LENGTH (mm) 53

DATE July 29, 1959 CATALOG NO. 29191

LOCALITY 1 mi. E. of Phelan

COUNTY San Bernardino CALIF.

STANDARD TIME 0735 CLOUDS (% Overcast) 40

MOON — RELATIVE HUMIDITY (%) 16

WIND DIRECTION 0 ALTITUDE (ft.) 3950

WIND VELOCITY (mi/hr) 0 SOLAR TIME

AIR TEMP (30 in) 27.2 °C AIR TEMP (1 cm) 28.0

SOIL SURFACE TEMP 31.0 °C CLOACAL TEMP 34.4

ROCK SURFACE TEMP °C

HABITAT open Joshua tree woodland

REMARKS On dead Joshua Tree. Caught with a ♂ — thought to be a pair. No chase.

SPECIES Sceloporus occidentalis 164

SPECIMEN NO. B19 SEX ♂ AGE ad.

WEIGHT (gm) SNOUT-VENT LENGTH(mm) 60

DATE July 29, 1959 CATALOG NO. 29191

LOCALITY 1 mi. E. of Phelan

COUNTY San Bernardino STATE

STANDARD TIME 0740 CLOUDS (% OVERCAST) 40

RAIN — RELATIVE HUMIDITY(%) 16

WIND DIRECTION 0 ALTITUDE(ft.) 3950

WIND VELOCITY (mi/hr) 0 SOLAR TIME

AIR TEMP(30 in) 27.2 °C AIR TEMP(1 cm) 28.0

SOIL SURFACE TEMP 31.0 °C CLOACAL TEMP 34.7

SUBSTRATE SURFACE TEMP °C

HABITAT open Joshua tree woodland

REMARKS: On dead Joshua tree. Caught with ♀ — thought to be a pair. Pursued 5 minutes on same tree.

SPECIES Sceloporus occidentalis TAG. NO. 165

CONTAINER NO. 818 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 54

DATE July 29, 1959 SPEEDOMETER 29191

LOCALITY 1 mi. E. of Phelan

COUNTY San Bernardino CALIF.

STANDARD TIME 0755 CLOUDS (% Overcast) 40

MOON – RELATIVE HUMIDITY(%) 13

WIND DIRECTION 0 ALTITUDE(ft.) 3950

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP(30 in) 29.5 °C AIR TEMP(1 cm) 30.5 °C

SOIL SURFACE TEMP 38.0 °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP °C

HABITAT open Joshua tree woodland

REMARKS: sitting in sun on a Joshua tree. No chase.

Sceloporus occidentalis 166

818 ♂ ad.

68

July 29, 1959 29191

1 mi. E. of Phelan

San Bernardino

0755 40

— 13

0 3950

0

29.5 30.5

38.0 31.8

open Joshua tree woodland

sitting in sun on a fence post. No chase.

Sceloporus occidentalis 167

B28 ♀ ad.

70

July 29, 1959 29191

1 mi. E. of Phelan

San Bernardino

0800 40

— 13

0 3950

0

29.5 30.5

38.0 34.4

open Joshua tree woodland

sitting in sun on dead Joshua tree.
5 ft. chase.

Sceloporus occidentalis 168

B 28 ♂ ad.

74

July 29, 1959 29192

2 mi. E. of Phelan

San Bernardino

0825 40

— 14

0 3950

0

29.5 30.5

38.0 31.5

open Joshua Tree woodland

sitting in shade on Joshua tree. 2 ft. chase.

Sceloporus occidentalis 169

B34 ♂ ad.

77

July 29, 1959 29192

2 mi. E. of Phelan

San Bernardino

0840 40

– 14

0 3950

0

31.0 32.5

44.6 32.8

substrate temp – 34.0°C.
(shade)

open Joshua tree woodland

(Head in sun)
sitting in shade on a fence post. No chase.

Sceloporus occidentalis 170

B33 ♂ ad.

67

July 29, 1959 29192

2 mi. E. of Phelan

San Bernardino

0850 40

— 14

0 3950

0

31.0 32.5

44.6 35.6

open Joshua tree woodland

sitting in shade on power pole. Considerable chase on ground and back to pole (~ 15 ft.).

Sceloporus occidentalis 171

B3 ♀ ad.

64

July 29, 1959 29192

2 mi. E. of Phelan

San Bernardino

0900 40

— 14

0 3950

0

31.0 32.5

44.6 33.9

open Joshua tree woodland

sitting in shade on power pole.
Slight chase

Sceloporus occidentalis 172

B17 ♀ ad.

72

July 29, 1959 29192

2 mi. E. of Phelan

San Bernardino

0900 40

— 14

0 3950

0

31.0 32.5

44.6 36.2

open Joshua tree woodland

sitting in shade on fence post. Slight chase.

Sceloporus occidentalis 173

B 17 ♀ ad. 1

63

July 29, 1959 29192

2 mi. E. of Phelan

San Bernardino

0905 50

– 14

0 3950

0

31.0 32.5

44.6 36.1

open Joshua tree woodland

sitting in shade on fencepost with head in sun. It jumped about 2 ft. and grabbed the noose, then fell about 3 ft. to the ground. It was captured when it returned to the post.

Sceloporus occidentalis 174

B26 ♂ ad.

75

July 29, 1959 29193

3 mi. E. of Phelan

San Bernardino

0930 40

– 14

S.E. 3950

[redacted] 7

33.4 36.2

48.0 33.7

Open Joshua tree woodland

sitting in shade on a fence post. No chase.

Sceloporus occidentalis 175

B15 ♂ ad.(?)

66

July 29, 1959 29193

3 mi. E. of Phelan

San Bernardino

0940 40

— 14

S.E. 3950

7

33.4 36.2

48.0 35.2

open Joshua tree woodland

sitting in shade on a fence post. Long chase.

Sceloporus occidentalis 176

B27 ♂ ad.

72

July 29, 1959 29193

3 mi. E. of Phelan

San Bernardino

0950 40

– 14

S.E. 3950

5-7

33.4 36.2

48.0 37.9

open Joshua tree woodland

sitting in shade on fence post. 10 minute chase.

Sceloporus occidentalis 177

823 ♀ ad.

68

July 29, 1959 29225

3 mi S.E. of Hesperia

San Bernardino

1445 60

— 14

S.W. 3000

5-8

36.5 39.5

55.0 38.0

open Joshua tree woodland

sitting in shade on a fence post. No chase.

Sceloporus occidentalis 178

B24 ♀ ad.

73

July 29, 1959 29226

2 mi. S.E. of Hesperia

San Bernardino

1458 60

– 14

S.W. 3000

5-8

36.5 39.5

55.0 38.2

open Joshua tree woodland

sitting in shade on fence post. 6 ft. chase.

Sceloporus occidentalis 179

B2 ♀ ad.

62

July 29, 1959 29245

3 mi. E. of Phelan

San Bernardino

1610 30

— 14

S.W. 3950

5-8

33.6 36.8

45.0 35.0

Joshua tree woodland

sitting in shade on power pole. No chase.

Sceloporus occidentalis 180

B9 ♀ ad.

60

July 29, 1959 29245

3 mi. E. of Phelan

San Bernardino

1623 30

— 14

S.W. 3950

5-8

33.6 36.8

45.0 35.0

open Joshua tree woodland

sitting in shade on power pole. No chase.

Sceloporus occidentalis 181

Y9 ♂ ad.

80

July 29, 1959 29255

2 mi. N.W. of Phelan

San Bernardino

1815 0

— 14

0 4150

0

31.0
~~30.0~~ 31.2

34.6 31.6

Joshua tree woodland

sitting on trunk of Joshua tree in shade. No chase.

Sceloporus occidentalis 182

♀ Ad

57

29 July 1959

Camp Emerson, 1 mi from Idyllwild

Riverside

5200

Coniferous forest

Caught by Dave Reuther

Sceloporus occidentalis 183

♂ Ad

64

29 July 1959

Camp Emerson, 8 mi from Idyllwild

Riverside

5200

Coniferous forest

Caught by Dave Reuther.

SPECIES Sceloporus occidentalis TAG NO. 184

SPECIMEN NO. SEX ♂ AGE Ad TOE CLIP

LENGTH(mm) SNOUT-VENT LENGTH(mm) 52

DATE 29 July 1959 SPEEDOMETER

LOCALITY Camp Emerson, 1 mi from Idyllwild

COUNTY Riverside CALIF.

STANDARD TIME CLOUDS(% overcast)

FROM RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5200

WIND VELOCITY (mi/hr) ROAD TEMP

AIR TEMP (30 in) °C AIR TEMP(1cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Coniferous forest

REMARKS: Caught by Dave Reuther

SPECIES Scelopous occidentalis FIELD NO. 185

SPECIMEN NO. ______ SEX ♂ AGE Ad. TOE CLIPS ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 68

DATE 29 July 1959 HYGROMETER ______

LOCALITY Camp Emerson, 1 mi from Idyllwild

COUNTY Riverside CALIF.

STANDARD TIME ______ CLOUDS(% OVERCAST) ______

WIND ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) ______ °C AIR TEMP(1cm) ______

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT Coniferous forest

REMARKS: caught by Dave Reuther

SPECIES Sceloporus occidentalis NO. 186

SPECIMEN NO. ____ SEX ♂ AGE Ad.

LENGTH(mm) ____ SNOUT-VENT LENGTH(mm) 64

DATE 29 July 1959 COLLECTOR(S) ____

LOCALITY Camp Emerson, 1 mi from Idyllwild

COUNTY Riverside CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

WIND ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(FT.) 5200

WIND VELOCITY (mi/hr) ____ BODY TEMP. ____

AIR TEMP (30 in) ____ °C AIR TEMP(1cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____

ROCK SURFACE TEMP ____ °C

HABITAT Coniferous forest

REMARKS: Caught by Dave Reuther

SPECIES Sceloporus occidentalis TAG NO. 187

CATALOG NO. ____ SEX ♂ AGE Ad. TOE CLIPS ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 85

DATE 29 July 1959 SPECIMENS ____

LOCALITY Camp Emerson, [illegible] mi from Idyllwild

COUNTY Riverside CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

SOIL: ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ____ DOME TEMP. ____

AIR TEMP (30 in) ____ °C AIR TEMP(1cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C

HABITAT Coniferous forest

REMARKS: Caught by Dave Reuther
Molting

SPECIES Sceloporus occidentalis TAG. NO. 188

CONTAINER NO. R9 SEX ♀ AGE Ad(?) TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 57

DATE 5 Aug 59 SPEEDOMETER 29335

LOCALITY 4 mi N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0730 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 40

WIND DIRECTION ALTITUDE(ft.) 2200

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 24 °C AIR TEMP(1cm) 26

SOIL SURFACE TEMP 36 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in Chaparral

REMARKS: sitting in sun on rock

SPECIES Sceloporus occidentalis TAG. NO. 189

CONTAINER NO. Y10 SEX ♀ AGE Ad TOE CLIPS

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 61

DATE 5 Aug. 59 SPEEDOMETER 29335

LOCALITY 4 mi N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0755 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 40

WIND DIRECTION ALTITUDE(Ft.) 2200

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 24 °C AIR TEMP(1cm) 26 °C

SOIL SURFACE TEMP 36 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in Chaparral

REMARKS: Basking in sun on rock

SPECIES Sceloporus occidentalis ENG. NO. 190

CONTAINER NO. Y1 SEX ♀ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE 5 Aug. 59 SPEEDOMETER 29337

LOCALITY 3 mi N. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0930 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 34

WIND DIRECTION W ALTITUDE(ft.) 1800

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP.

AIR TEMP (30 in) 28.5 °C AIR TEMP(1cm) 30.5 °C

SOIL SURFACE TEMP 42 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in Chaparral

REMARKS: Basking, feet in shade, body in sun.

SPECIES Sceloporus occidentalis TAG. NO. 191

CONTAINER NO. R21 SEX ♂ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE 5 Aug 59 SPEEDOMETER 29339

LOCALITY 1 Mi. N. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 1000 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 34

WIND DIRECTION W ALTITUDE(ft.) 1800

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP.

AIR TEMP (30 in) 29 °C AIR TEMP(1cm) 32 °C

SOIL SURFACE TEMP 45 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT ~~[illegible]~~ Fence post in Coastal Sage Scrub

REMARKS: Sitting in shade, head down, on fence post.

SPECIES Sceloporus occidentalis TAG. NO. 192

CONTAINER NO. Y8 SEX ♀ AGE Ad. TOE CLIP 69

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) ______

DATE 12 Aug 1959 SPEEDOMETER ______

LOCALITY 2 mi S. of UCR

COUNTY Riverside CALIF.

STANDARD TIME 0800 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) 64%

WIND DIRECTION ______ ALTITUDE(ft.) 1200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) 25 °C AIR TEMP(1cm) 25 °C

SOIL SURFACE TEMP 31.5 °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT Rocky outcrop in coastal sage scrub.

REMARKS: Basking

SPECIES *Sceloporus occidentalis* TAG. NO. 193

CONTAINER NO. R20 SEX ♂ AGE Ad TOE CLIP 78

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) ______

DATE 12 Aug 1959 SPEEDOMETER ______

LOCALITY 2 mi S. of UCR

COUNTY Riverside CALIF.

STANDARD TIME 0810 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) 50

WIND DIRECTION ______ ALTITUDE(ft.) 1200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) 25 °C AIR TEMP(1cm) 25 °C

SOIL SURFACE TEMP 31.5 °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C

HABITAT Rocky outcrop in coastal sage scrub

REMARKS: Moved up onto top of rock under brush while we were taking temperatures.

SPECIES Sceloporus occidentalis FNG. NO. 194

CONTAINER NO. Y11 SEX ♀ AGE AQ SUB CLASS

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE 12 Aug 1959 SPEEDOMETER

LOCALITY 1 mi No. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0935 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 50%

WIND DIRECTION ALTITUDE(Ft.) 1800

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 31 °C AIR TEMP(1cm) 36

SOIL SURFACE TEMP 51 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Fence post in coastal sage scrub.

REMARKS: Sitting head down, in shade, on fence post.

SPECIES Sceloporus occidentalis TAG. NO. 195

CONTAINER NO. R11 SEX ♀ AGE Ad. TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE 12 Aug 1959 SPEEDOMETER

LOCALITY 2 mi No. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 1005 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 50%

WIND DIRECTION ALTITUDE(ft.) 1800

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 31 °C AIR TEMP(1cm) 36 °C

SOIL SURFACE TEMP 51 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in coastal sage scrub

REMARKS: Sitting in shade.

SPECIES Sceloporus occidentalis TAG. NO. 196

CONTAINER NO. ______ SEX ♂ AGE Ad TOE CLIP ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 78

DATE 6 Aug 1959 SPEEDOMETER ______

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 / 1400 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) ______ °C AIR TEMP(1cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C

HABITAT Coniferous forest

REMARKS: ______

SPECIES *Sceloporus occidentalis* TAG. NO. 197

CONTAINER NO. ______ SEX ♂ AGE Ad TOE CLIP ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 68

DATE 6 Aug 1959 SPEEDOMETER ______

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 1400 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) ______ °C AIR TEMP(1cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C

HABITAT Coniferous forest.

REMARKS:

SPECIES Sceloporus occidentalis TAG. NO. 198

CONTAINER NO. ______ SEX ♂ AGE Ad. TOE CLIP ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 77

DATE 6 Aug 1959 SPEEDOMETER ______

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 1400 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) ______ °C AIR TEMP(1cm) ______

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT Coniferous forest

REMARKS:

SPECIES *Sceloporus occidentalis* TAG. NO. 199

CONTAINER NO. ____ SEX ♂ AGE Ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 65

DATE 6 Aug 1959 SPEEDOMETER ____

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 / 1400 CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ____ ROAD TEMP. ____

AIR TEMP (30 in) ____ °C AIR TEMP(1cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C

HABITAT Coniferous forest

REMARKS: ____

SPECIES Sceloporus occidentalis TAG. NO. 200

CONTAINER NO. ______ SEX ♂ AGE Ad. TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 71

DATE 6 Aug 1959 SPEEDOMETER ______

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME ~~1400~~ 1200 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) ______ °C AIR TEMP(1cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C

HABITAT Coniferous forest.

REMARKS: [illegible]